What Is Claimed Is:

1. A method for collecting and processing received signal level data and geolocation data over a wireless system, comprising the steps of:

gathering signal strength data corresponding to mobile units; gathering geolocation location data corresponding to mobile units;

correlating said gathered signal strength data with said gathered geolocation data to identify data pairs correlating a measured signal strength at a known geolocation;

generating a set of data pairs correlating measured signal strength values to specific geographic locations throughout said wireless system.

2. The method of claim 1, wherein:

said signal strength data is collected by measuring the signal strength of a signal received by a cell site, from a mobile wireless unit.

3. The method of claim 1, wherein:

said signal strength data is collected by measuring the signal strength of a signal received by a wireless mobile unit, from a cell site.

4. The method of Claim 1, wherein:

said geographic location data is determined by triangulation of said mobile unit with respect to a plurality of stationary cell site antennae.

5. The method of Claim 1, wherein: said geographic location data is determined with reference to a set of global

positioning satellites.

6. The method of Claim 1, wherein:

said correlation includes identification of gathered geolocation data and gathered signal strength data corresponding to the same mobile unit; and

establishing the temporal correlation of said identified data to identify data pairs within sufficiently close temporal proximity to establish correlation of a measured signal strength with a measured geolocation.

7. The method of Claim 1, where:

said signal strength and said geolocation are gathered in real-time at a common data receiver; and

said correlation includes matching said geolocation data with said signal strength data of a mobile unit based upon the receipt of data corresponding to the same mobile unit.

8. The method of Claim 1, further comprising the step of:

analyzing said set of data pairs to evaluate the effective RF propagation within said wireless system.

9. The method of Claim 1, further comprising the steps of:

identifying the cell site which gathered each signal strength data measurement corresponding to each geolocation within the wireless system; and

determining the identified cell site likely to receive a signal from a mobile unit at each identified geolocation within said wireless system.

- 10. The method of Claim 9, further comprising the step of:
 redefining the projected distribution of likely server cell sites within said wireless system based upon the determination of identified likely cell sites.
 - 11. The method of Claim 1, further comprising the steps of:
 gathering drop call incident data from said system; and
 identifying the geolocation corresponding to said dropped call incidents.
- 12. The method of Claim 11, further comprising the step of:
 generating a set of data points correlating drop call incidents with geolocation of occurrence.
- 13. The method of Claim 12, further comprising the step of: analyzing said drop call geolocation data set to determine an effective implementation for addressing dropped calls.
 - 14. The method of Claim 1, further comprising the steps of: gathering blocked call incident data from said system; and identifying the geolocation corresponding to said blocked call incidents.

- 15. The method of Claim 14, further comprising the step of:
 generating a set of data points correlating blocked call incidents with geolocation of occurrence.
- 16. The method of Claim 15, further comprising the step of:
 analyzing said blocked call geolocation data set to determine an effective implementation for addressing blocked calls.
- 17. A method for collecting and processing received signal level data and geolocation data over a wireless system, comprising the steps of:

gathering signal strength data corresponding to identified mobile units;

gathering geolocation data corresponding to identified mobile units;

time stamping said gathered signal strength data and said gathered geolocation data with reference to a common reference time;

identifying geolocation data and signal strength data corresponding to a common identified mobile unit and gathered within a predetermined time proximity to identify the geolocation of a mobile unit and the specific signal strength gathered from said mobile unit at said identified geolocation; and

generating a set of data correlating signal strength values to geographic locations with in said wireless system.

18. Apparatus for collecting and processing received signal level data and geolocation data over a wireless system, comprising:

RF signal measurement equipment for receiving signal strength data corresponding to mobile units;

geolocation equipment for determining geolocation data corresponding to mobile units;

a reference time generator for time stamping the gathered signal strength data and the gathered geolocation data with reference to a common reference time;

storage for combining said signal strength data and said geolocation data;

a processor for identifying signal strength data elements corresponding to geolocation data elements, for generating a set of data pairs correlating signal strength values to geographic locations with in said wireless system.